


AD 67195

5EF-TR-68-1

THE OCCURRENCE AND KNOWN HUMAN-DISEASE RELATIONSHIPS  
OF MOSQUITOES ON USAF INSTALLATIONS  
IN THE REPUBLIC OF VIETNAM

July 1968




Distribution of this Document is Unlimited

USAF 5th Epidemiological Flight  
Aerospace Medical Division  
Air Force Systems Command  
APO San Francisco 96528

Reproduced by the  
CLEARINGHOUSE  
for Federal Scientific & Technical  
Information Springfield Va 22151

31

# DISCLAIMER NOTICE



THIS DOCUMENT IS BEST  
QUALITY AVAILABLE. THE COPY  
FURNISHED TO DTIC CONTAINED  
A SIGNIFICANT NUMBER OF  
PAGES WHICH DO NOT  
REPRODUCE LEGIBLY.

**BLANK PAGE**

# NOTICES

When U.S. Government drawings, specifications, or other data are used for any purpose other than a definitely related Government procurement operation, the Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Qualified requesters may obtain copies from the Defense Documentation Center (DDC), Cameron Station, Alexandria, Virginia 22314. Others will be expedited if placed through the librarian or other person designated to request documents from DDC (formerly ASTIA).

JAN 1974	
CFSTI	WRITE SECTION <input checked="" type="checkbox"/>
DDC	DUFF SECTION <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODE	
REG.	MAIL IN/OUT SPECIAL
1	

**THE OCCURRENCE AND KNOWN HUMAN-DISEASE RELATIONSHIPS  
OF MOSQUITOES ON USAF INSTALLATIONS  
IN THE REPUBLIC OF VIETNAM**

**DALE W. PARRISH, Major, USAF, BSC**

**Distribution of this Document is Unlimited**

#### FOREWORD

This research was accomplished at the 5th Epidemiological Flight under Project 6321, Task 02, and is part of the program for support of USAF operations in Southeast Asia.

The author acknowledges the careful and skillful technical assistance of SMSgt John P. Burns, J. L. Libay and R. C. Basio.

This report has been reviewed and is accepted.

*Paul W. Musgrave*

PAUL W. MUSGRAVE  
Colonel, USAF, MC  
Commander

#### ABSTRACT

Data are presented on the occurrence and human-disease relationships of mosquitoes on USAF installations located in the Republic of Vietnam.

The information contained in this report is based upon the identification of mosquito specimens collected and submitted to the USAF 5th Epidemiological Flight by USAF Military Public Health Service personnel from 10 USAF installations in RVN over a 24-month period between 1 June 1966 and 1 June 1968. Mosquito surveys were accomplished on a routine basis in connection with the conduct of disease-vector surveillance and control programs in compliance with the objectives of the USAF Aerospace Medicine Program to prevent and control vector-borne diseases.

A total of 93 different species of mosquitoes were identified from all collections. Of this number, 26 species or 27.9 percent, are known vectors of human disease.





# THE OCCURRENCE AND KNOWN HUMAN-DISEASE RELATIONSHIPS OF MOSQUITOES ON USAF INSTALLATIONS IN THE REPUBLIC OF VIETNAM

## SECTION I

### INTRODUCTION

The data presented herein are based upon the identification of mosquito specimens collected and submitted to the USAF 5th Epidemiological Flight by USAF Military Public Health Service Personnel from 10 U. S. Air Force Installations in the Republic of Vietnam over a 20-month period, between 1 June 1966 and 1 June 1968. The locations of installations participating in these surveys are shown in Figure I.

Mosquito surveys were accomplished on a routine basis in connection with the conduct of disease-vector surveillance and control programs in compliance with the objectives of the USAF Aerospace Medicine Program to prevent and control vector-borne diseases.

Information derived from these continuing surveys on the occurrence and seasonal abundance of specific species provides the Base Preventive Medicine Officer with the necessary data to evaluate the medical and economical importance of a species, to establish the vector-disease relationship, to maintain vigilance over potential vectors and to recommend effective and practical means of control.

## SECTION II

### METHODS

Adult and immature forms were collected at each installation on a routine basis utilizing standard entomological techniques. Immature forms were collected from two representative aquatic environments, while mosquito light traps were operated to collect adult mosquitoes at a minimum of two representative locations. Collected specimens were preserved, packaged and mailed to the 5th Epidemiological Flight in accordance with standard entomological procedures.

Stereoscopic examinations were made of all specimens and species determinations rendered by entomology specialists trained in mosquito taxonomy.

## SECTION III

### DISCUSSION

A total of 94 different species of mosquitoes were identified from all collections received from Air Force Installations in the Republic of Vietnam. (Table I). Of this number, 26 species or 27.9 percent are known vectors of human disease. (Table II). The occurrence of species by month over a 24-month period is listed in Table III.

Mosquito-borne diseases, with the exception of malaria, have not been as serious in Vietnam as had been expected. Dengue and encephalitis are present, but little or no filariasis or hemorrhagic fever has been reported. The total number of confirmed malaria cases in U. S. Forces during 1965-1966 has exceeded 10,000 (1).

The distribution of malaria in RVN is highly discontinuous. Incidence is very low in most of the coastal plain including the cities and delta. In parts of the foothills and highlands the attack rate is extremely high. Most of the military malaria is contracted outdoors rather than indoors and there is considerable evidence that the endophilic *Anopheles minimus* has not been a significant vector. The exophilic species, *A. aconitus*, *A. maculatus*, *A. jeyporiensis candidiensis*, and in limited areas, *A. balabacensis*, are believed to be the most important vectors affecting military personnel (1).

The extraordinary amount of personnel movements is causing a redistribution of malaria from the hyperendemic foci of the interior to all parts of RVN and beyond. Wherever suitable vectors occur malaria has increased as new reservoirs are established. The Navy reports that at least two cases of autochthonous malaria introduced from Vietnam have occurred on Guam. A major portion of the 517 cases of imported malaria reported in the United States during 1966 originated in Vietnam.

The amount of illness diagnosed as "fever of indetermined origin" (FUO) exceeds that of confirmed malaria and Army authorities have estimated that one-third or more of this may be dengue. The incidence of FUOs in military personnel of all military services in Southeast Asia has averaged 8% (2).

TABLE I  
LIST OF MOSQUITO SPECIES COLLECTED IN THE REPUBLIC OF VIETNAM

INSTALLATION	SPECIES	
Bien Hoa	<i>Aedes mediolineatus</i>	<i>Culex fuscus</i>
	<i>Aedes poicilius</i>	<i>Culex fuscocephalus*</i>
	<i>Aedes vexans*</i>	<i>Culex gelidus*</i>
	<i>Anopheles annularis</i>	<i>Culex rubithoracis</i>
	<i>Anopheles lesteri</i>	<i>Culex pipiens quinquefasciatus*</i>
	<i>Anopheles peditaeniatu</i>	<i>Culex sinensis*</i>
	<i>Anopheles sinensis*</i>	<i>Culex tritaeniorhynchus*</i>
	<i>Anopheles splendidus</i>	<i>Culex whitmorei</i>
	<i>Anopheles subpictus</i>	<i>Ficalbia hybrida</i>
	<i>Anopheles vagus*</i>	<i>Ficalbia luzonensis</i>
	<i>Culex annulus*</i>	<i>Mansonia crassipes</i>
	<i>Culex bitaeniorhynchus*</i>	<i>Mansonia ochracea</i>
	<i>Culex brevipalpis</i>	<i>Mansonia uniformis*</i>
Binh Thuy	<i>Aedes dux</i>	<i>Culex fuscocephalus*</i>
	<i>Aedes lineatopennis*</i>	<i>Culex gelidus*</i>
	<i>Aedes niveoscutellum</i>	<i>Culex pholeter</i>
	<i>Aedes poicilius</i>	<i>Culex nigropunctatus</i>
	<i>Aedeomyia catasticta</i>	<i>Culex pseudovishnui</i>
	<i>Anopheles aconitus*</i>	<i>Culex pipiens quinquefasciatus*</i>
	<i>Anopheles argyropus</i>	<i>Culex raptor</i>
	<i>Anopheles barbirostris*</i>	<i>Culex sinensis*</i>
	<i>Anopheles campestris*</i>	<i>Culex tritaeniorhynchus*</i>
	<i>Anopheles crawfordi</i>	<i>Ficalbia chamberlaini</i>
	<i>Anopheles indiensis</i>	<i>Ficalbia hybrida</i>
	<i>Anopheles lesteri</i>	<i>Ficalbia luzonensis</i>
	<i>Anopheles minimus*</i>	<i>Ficalbia minima</i>
	<i>Anopheles nigerrimus*</i>	<i>Hodgesia malayi</i>
	<i>Anopheles peditaeniatu</i>	<i>Mansonia annulifera*</i>
	<i>Anopheles sinensis*</i>	<i>Mansonia crassipes</i>
	<i>Anopheles subpictus</i>	<i>Mansonia nigrosignata</i>
	<i>Anopheles tessellatus*</i>	<i>Mansonia ochracea</i>
	<i>Anopheles umbrosus*</i>	<i>Mansonia uniformis*</i>
	<i>Anopheles vagus*</i>	<i>Uranotaenia annandalei</i>
	<i>Culex annulus*</i>	<i>Uranotaenia campestris</i>
Cam Ranh Bay	<i>Culex bitaeniorhynchus*</i>	<i>Uranotaenia mazima</i>
	<i>Culex brevipalpis</i>	<i>Uranotaenia obscura</i>
	<i>Culex fuscus</i>	
	<i>Aedes albolineatus</i>	<i>Anopheles lesteri</i>
	<i>Aedes albopictus*</i>	<i>Anopheles peditaeniatu</i>
	<i>Aedes imprimens</i>	<i>Anopheles sinensis*</i>
	<i>Aedes pseudoalbopictus</i>	<i>Anopheles subpictus</i>
	<i>Aedes vexans*</i>	<i>Culex annulus*</i>
	<i>Aedeomyia catasticta</i>	<i>Culex bitaeniorhynchus*</i>
	<i>Anopheles crawfordi</i>	<i>Culex fuscus</i>
	<i>Anopheles karwari</i>	<i>Culex fuscocephalus*</i>

	<i>Culex gelidus*</i> <i>Culex mimeticus</i> <i>Culex pseudosinensis</i> <i>Culex pseudovishnui</i> <i>Culex quadripalpis</i> <i>Culex pipiens quinquefasciatus*</i> <i>Culex tritaeniorhynchus*</i> <i>Culex whitei</i>	<i>Ficalbia chamberlaini</i> <i>Ficalbia luzonensis</i> <i>Mansonia crassipes</i> <i>Mansonia ochracea</i> <i>Mansonia uniformis*</i> <i>Toxorhynchites splendens</i> <i>Tripteroides aranoioides</i>
DaNang	<i>Anopheles aconitus</i> <i>Anopheles sinensis*</i> <i>Anopheles vagus*</i> <i>Culex annulus*</i> <i>Culex bitaeniorhynchus*</i> <i>Culex fuscus</i>	<i>Culex fuscocephalus*</i> <i>Culex gelidus*</i> <i>Culex rubithoracis</i> <i>Culex pseudovishnui</i> <i>Culex pipiens quinquefasciatus*</i> <i>Culex tritaeniorhynchus*</i>
Nha Trang	<i>Aedes chrysolineatus</i> <i>Aedes duz</i> <i>Aedes gubernatoris</i> <i>Aedes lineatopennis*</i> <i>Aedes pseudoalbopictus</i> <i>Aedes vexans*</i> <i>Aedes vigilax*</i> <i>Anopheles aconitus*</i> <i>Anopheles annularis</i> <i>Anopheles argyropus</i> <i>Anopheles crawfordi</i> <i>Anopheles lesteri</i> <i>Anopheles minimus*</i> <i>Anopheles nigerrimus*</i> <i>Anopheles peditaeniatu</i> <i>Anopheles philippinensis</i> <i>Anopheles sinensis*</i> <i>Anopheles subpictus</i> <i>Anopheles tessellatus*</i> <i>Anopheles vagus*</i> <i>Culex annulus*</i> <i>Culex bitaeniorhynchus*</i>	<i>Culex brevipalpis</i> <i>Culex fuscocephalus*</i> <i>Culex gelidus*</i> <i>Culex khazani</i> <i>Culex pholeter</i> <i>Culex nigropunctatus</i> <i>Culex pseudosinensis</i> <i>Culex pseudovishnui</i> <i>Culex pipiens quinquefasciatus*</i> <i>Culex sinensis*</i> <i>Culex sitiens*</i> <i>Culex tritaeniorhynchus*</i> <i>Culex whitei</i> <i>Culex whitmorei</i> <i>Ficalbia chamberlaini</i> <i>Ficalbia luzonensis</i> <i>Malaya jacobsoni</i> <i>Mansonia crassipes</i> <i>Mansonia uniformis*</i> <i>Uranotaenia annandalei</i> <i>Uranotaenia campestris</i> <i>Uranotaenia macfarlanei</i>
Phan Rang	<i>Aedes albopictus*</i> <i>Aedes alboscute</i> <i>Aedes duz</i> <i>Aedes lineatopennis*</i> <i>Aedes medilineatus</i> <i>Aedes nireoscutellum</i> <i>Aedes pseudoalbopictus</i> <i>Aedes taeniorhynchoides</i> <i>Aedes vexans*</i> <i>Aedes vigilax*</i> <i>Aedromyia catasticta</i> <i>Anopheles aconitus*</i>	<i>Anopheles annularis</i> <i>Anopheles argyropus</i> <i>Anopheles crawfordi</i> <i>Anopheles indiensis</i> <i>Anopheles lesteri</i> <i>Anopheles minimus*</i> <i>Anopheles nigerrimus*</i> <i>Anopheles pallidus</i> <i>Anopheles peditaeniatu</i> <i>Anopheles philippinensis</i> <i>Anopheles sinensis*</i> <i>Anopheles subpictus</i>

*Anopheles tessellatus\**  
*Anopheles vagus\**  
*Culex annularis\**  
*Culex bitaeniorhynchus\**  
*Culex fuscus*  
*Culex fuscocephalus\**  
*Culex gelidus\**  
*Culex khazani*  
*Culex minor*  
*Culex pholeter*  
*Culex reidi*  
*Culex rubithoracis*  
*Culex nigropunctatus*

*Culex pseudosinensis*  
*Culex pseudovishnui*  
*Culex pipiens quinquefasciatus\**  
*Culex sitiens\**  
*Culex tritaeniorhynchus\**  
*Culex whitmorei*  
*Mansonia crassipes*  
*Mansonia ochracea*  
*Mansonia uniformis\**  
*Uranotaenia maxima*  
*Uranotaenia obscura*  
*Uranotaenia recondita*

**Pleiku**

*Aedes albopictus\**  
*Aedes gubernatoris*  
*Aedes laniger*  
*Aedes lineatopennis\**  
*Aedes mediolineatus*  
*Aedes niveoscutellum*  
*Aedes ostentatio*  
*Aedes pseudoalbopictus*  
*Aedes vexans\**  
*Aedes vittatus*  
*Aedeomyia catasticta*  
*Anopheles aconitus\**  
*Anopheles annularis*  
*Anopheles argyropus*  
*Anopheles crawfordi*  
*Anopheles indiensis*  
*Anopheles karwari*  
*Anopheles lesteri*  
*Anopheles maculatus\**  
*Anopheles minimus\**  
*Anopheles nigerrimus\**  
*Anopheles pallidus*  
*Anopheles peditaeniatus*  
*Anopheles philippinensis*  
*Anopheles sinensis\**  
*Anopheles splendidus*  
*Anopheles subpictus*

*Anopheles vagus\**  
*Armigeres flavus*  
*Armigeres subalbatu\**  
*Culex annulus\**  
*Culex bitaeniorhynchus\**  
*Culex brevipalpis*  
*Culex fuscus*  
*Culex fuscocephalus\**  
*Culex gelidus\**  
*Culex pholeter*  
*Culex nigropunctatus*  
*Culex pseudosinensis*  
*Culex pseudovishnui*  
*Culex pipiens quinquefasciatus\**  
*Culex sinensis\**  
*Culex sitiens\**  
*Culex tritaeniorhynchus\**  
*Culex whitei*  
*Culex whitmorei*  
*Ficalbia chamberlaini*  
*Hodgesia malayi*  
*Mansonia crassipes*  
*Mansonia uniformis\**  
*Uranotaenia annandalei*  
*Uranotaenia macfarlanei*  
*Uranotaenia maxima*

**Phu Cat**

*Aedes aegypti\**  
*Aedes amesi*  
*Aedes lineatopennis\**  
*Aedes longirostris*  
*Aedes mediolineatus*  
*Aedes ostentatio*  
*Aedes poicilius*  
*Aedes vexans*

*Aedes vittatus*  
*Aedeomyia catasticta*  
*Anopheles aconitus\**  
*Anopheles annandalei interruptus*  
*Anopheles annularis*  
*Anopheles argyropus*  
*Anopheles barbirostris\**  
*Anopheles campestris\**

*Anopheles crawfordi*  
*Anopheles indiensis*  
*Anopheles jeyporiensis candidien-*  
*sis\**  
*Anopheles karwari*  
*Anopheles lesteri*  
*Anopheles minimus\**  
*Anopheles nigerrimus\**  
*Anopheles pallidus*  
*Anopheles peditaeniatus*  
*Anopheles philippinensis*  
*Anopheles sinensis\**  
*Anopheles subpictus*  
*Anopheles tessellatus\**  
*Anopheles umbrosus\**  
*Anopheles vagus\**  
*Anopheles varuna*  
*Armigeres subalbatus\**  
*Culex annulus\**  
*Culex bitaeniorhynchus\**  
*Culex brevipalpis*

*Culex fuscus*  
*Culex fuscocephalus\**  
*Culex gelidus\**  
*Culex khazani*  
*Culex incomptus*  
*Culex peytoni*  
*Culex pholeter*  
*Culex pseudosinensis*  
*Culex pseudovishnui*  
*Culex pipiens quinquefasciatus\**  
*Culex sinensis\**  
*Culex tritaeniorhynchus\**  
*Culex whitmorei*  
*Ficalbia chamberlaini*  
*Ficalbia luzonensis*  
*Ficalbia minima*  
*Mansonia crassipes*  
*Mansonia uniformis\**  
*Uranotaenia campestris*  
*Uranotaenia maxima*  
*Uranotaenia obscura*

**Tan Son Nhut**

*Aedes aegypti*  
*Aedes dur*  
*Aedes vexans*  
*Anopheles aconitus\**  
*Anopheles annularis*  
*Anopheles crawfordi*  
*Anopheles philippinensis*  
*Anopheles sinensis\**  
*Anopheles subpictus*  
*Anopheles tessellatus\**  
*Anopheles vagus\**  
*Culex annulus\**

*Culex brevipalpis*  
*Culex fuscus*  
*Culex fuscocephalus\**  
*Culex gelidus\**  
*Culex pipiens quinquefasciatus\**  
*Culex raptor*  
*Culex sinensis\**  
*Culex tritaeniorhynchus\**  
*Culex whitmorei*  
*Ficalbia chamberlaini*  
*Malaya jacobsoni*

**Tuy Hoa**

*Aedes dur*  
*Aedes lineatopennis\**  
*Aedes longirostris*  
*Aedes vexans\**  
*Aedeomyia catasticta*  
*Anopheles annularis*  
*Anopheles crawfordi*  
*Anopheles peditaeniatus*  
*Anopheles sinensis\**  
*Anopheles subpictus*  
*Anopheles vagus\**

*Culex annulus\**  
*Culex bitaeniorhynchus\**  
*Culex gelidus\**  
*Culex pipiens quinquefasciatus\**  
*Culex tritaeniorhynchus\**  
*Culex whitmorei*  
*Mansonia crassipes*  
*Mansonia ochracea*  
*Mansonia uniformis*  
*Tripteroides arandoides*

\* Disease Vectors

TABLE II  
 KNOWN HUMAN DISEASE RELATIONSHIPS OF MOSQUITOES  
 COLLECTED ON 7TH AIR FORCE INSTALLATIONS (RVN)

**AEDES AEGYPTI**

*Disease Relationships:* Primary vector of DENGUE and CHIKUNGUNYA FEVER; found naturally infected with *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS).

**AEDES ALBOPICTUS**

*Disease Relationships:* Primary vector of DENGUE and CHIKUNGUNYA FEVER; secondary vector of JAPANESE "B" ENCEPHALITIS; primary vector of *Dirofilaria immitis* (TROPICAL EOSINOPHILIA).

**AEDES LINEATOPENNIS**

*Disease Relationships:* Low potential vector of *Brugia malayi* (MALAYAN FILARIASIS) and *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS).

**AEDES VEXANS**

*Disease Relationships:* Primary vector of *Dirofilaria immitis* (TROPICAL EOSINOPHILIA); secondary vector of JAPANESE "B" ENCEPHALITIS.

**AEDES VIGILAX**

*Disease Relationships:* Primary vector of *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS) and SINDBIS FEVER.

**ANOPHELES ACONITUS**

*Disease Relationships:* Secondary vector of MALARIA in the highlands.

**ANOPHELES BARBIROSTRIS**

*Disease Relationships:* Primary vector of *Brugia malayi* (MALAYAN FILARIASIS); secondary vector of *Brugia pahangi* (TROPICAL EOSINOPHILIA).

**ANOPHELES CAMPESTRIS**

*Disease Relationships:* Primary vector of *Brugia malayi* (MALAYAN FILARIASIS); secondary vector of *Brugia pahangi* (TROPICAL EOSINOPHILIA).

**ANOPHELES JEYPORIENSIS CANDIDIENSIS**

*Disease Relationships:* Primary vector of highland MALARIA. Possible vector of *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS).

**ANOPHELES MACULATUS**

*Disease Relationships:* Secondary vector of MALARIA in the highlands.

**ANOPHELES MINIMUS**

*Disease Relationships:* Primary vector of highland MALARIA; secondary vector of coastal MALARIA (in sand dune seepage areas); primary vector of *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS).

**ANOPHELES NIGERRIMUS**

**Disease Relationships:** May possibly transmit MALARIA. Some positive records represent confusion between this species and *Anopheles sinensis*.

**ANOPHELES SINENSIS**

**Disease Relationships:** Primary vector of MALARIA in delta and coastal areas. Primary vector of *Brugia malayi* (MALAYAN FILARIASIS) and *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS).

**ANOPHELES TESSELLATUS**

**Disease Relationships:** Secondary vector of MALARIA in delta and coastal areas.

**ANOPHELES UMBROSUS**

**Disease Relationships:** Possible jungle vector of MALARIA in the lowlands.

**ANOPHELES VAGUS**

**Disease Relationships:** Vector of MALARIA in delta and coastal areas.

**ARMIGERES SUBALBATUS**

**Disease Relationships:** Primary vector of *Brugia pahangi* (MALAYAN FILARIASIS).

**CULEX ANNULUS**

**Disease Relationships:** Vector of JAPANESE "B" ENCEPHALITIS.

**CULEX BITAENIORHYNCHUS**

**Disease Relationships:** Primary vector of SINDBIS FEVER; secondary vector of JAPANESE "B" ENCEPHALITIS.

**CULEX FUSCOCEPHALUS**

**Disease Relationships:** Primary vector of *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS).

**CULEX GELIDUS**

**Disease Relationships:** Primary vector of *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS), CHIKUNGUNYA FEVER, JAPANESE "B" ENCEPHALITIS and GETAH VIRUS.

**CULEX PIPIENS QUINQUEFASCIATUS**

**Disease Relationships:** Primary vector of *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS), *Brugia malayi* (MALAYAN FILARIASIS), *Dirofilaria immitis* (TROPICAL EOSINOPHILIA); secondary vector of JAPANESE "B" ENCEPHALITIS.

**CULEX SINENSIS**

**Disease Relationships:** Low potential vector of *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS).

**CULEX SITIENS**

**Disease Relationships:** Possible vector of *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS) and, based upon small samplings, of *Brugia malayi* (MALAYAN FILARIASIS).

**CULEX TRITAENIORHYNCHUS**

*Disease Relationships:* Primary vector of JAPANESE "B" ENCEPHALITIS, CHIKUNGUNYA FEVER, SINDBIS FEVER, and GETAH VIRUS. Low potential vector of *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS).

**MANSONIA ANNULIFERA**

*Disease Relationships:* Primary vector of *Brugia malayi* (MALAYAN FILARIASIS).

**MANSONIA UNIFORMIS**

*Disease Relationships:* Primary vector of *Wuchereria bancrofti* (BANCROFTIAN FILARIASIS), *Brugia malayi* (MALAYAN FILARIASIS), *Brugia pahangi* (TROPICAL EOSINOPHILIA) and CHIKUNGUNYA FEVER.



TABLE III - A  
OCCURRENCE OF MOSQUITO SPECIES BY MONTH OVER A 24-MONTH PERIOD  
BASED ON LIGHT TRAP AND LARVAL COLLECTIONS

BIEN HOA, VIETNAM

SPECIES	MONTHS																							
	1966						1967						1968											
	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY
<i>Aedes mediotineatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes poicilius</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes vexans</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles annularis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles lesteri</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles peditaeniatius</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles sinensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles splendidus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles subpictus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles vagus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex annulus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex bitaeniorhynchus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex brevipalpis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex fuscans</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex fuscoccephalus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex gelidus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex (Lophoceraomyia) rubitho- racis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex pipiens quinquefasciatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex sinensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex tritaeniorhynchus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex whitmorei</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Ficallbia hybrida</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Ficallbia luzonensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Mansonia crassipes</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Mansonia ochracea</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Mansonia uniformis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z

NA = No collections attempted

Z = Species not collected

P = Species collected

TABLE III - B  
OCCURRENCE OF MOSQUITO SPECIES BY MONTH OVER A 24-MONTH PERIOD  
BASED ON LIGHT TRAP AND LARVAL COLLECTIONS

BINH THUY, VIETNAM

SPECIES	MONTHS																							
	1966						1967												1968					
	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY
<i>Aedes dur</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes lineatopennis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes niveoscutellum</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes poicilius</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedeomyia catasticta</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles aconitus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles argyropus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles barbirostris</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles campestris</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles crawfordi</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles indiensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles lesteri</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles minimus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles nigerrimus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles peditaeniatius</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles sinensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles subpictus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles tessellatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles umbrosus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles vagus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex annulus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex bitaeniorhynchus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex brevipalpis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex fuscatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex fuscocephalus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex gelidus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex (Lophocernaomyia) pholeter</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z



TABLE III - C

OCCURRENCE OF MOSQUITO SPECIES BY MONTH OVER A 24-MONTH PERIOD  
BASED ON LIGHT TRAP AND LARVAL COLLECTIONS

CAM RANH BAY, VIETNAM

SPECIES	MONTHS																							
	1966								1967								1968							
	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY
<i>Aedes albolineatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes albopictus</i>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<i>Aedes imprimens</i>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<i>Aedes pseudoalbopictus</i>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
<i>Aedes vexans</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedeomyia catasticta</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles crawfordi</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles karwari</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles lesteri</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles peditaeniatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles sinensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles subpictus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex annulus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex bitaeniorhynchus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex fuscatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex fuscocephalus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex gelidus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex mimeticus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex pseudosinensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex pseudovishnui</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex quadripalpis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex pipiens quinquefasciatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex tritaeniorhynchus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex whitei</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Ficulbia chamberlaini</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Ficulbia luzonensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Monsonia crassipes</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Monsonia ochracea</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Monsonia uniformis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Toxorhynchites splendens</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Tripteroides aranoioides</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z

Species collected

Species not collected

NA = No collections attempted

● Species collected

N = Species not collected

NA = No collections attempted

TABLE III - D  
 OCCURRENCE OF MOSQUITO SPECIES BY MONTH OVER A 24-MONTH PERIOD  
 BASED ON LIGHT TRAP AND LARVAL COLLECTIONS  
 DA NANG, VIETNAM

SPECIES	MONTHS																								
	1966							1967										1968							
	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	
<i>Anopheles aconitus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles sinensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles vagus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex annulus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex bitaeniorhynchus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex fuscus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex fuscopholus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex gelidus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex (Lophoceraomyia) rubitho- racis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex pseudorishni</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex pipiens quinquefasciatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Culex tritaeniorhynchus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z

• = Species collected

Z = Species not collected

NA = No collections attempted

**NHA TRANG, VIETNAM**

*Culex (Lophoceraomyia) pholeter*



TABLE III - F  
OCCURRENCE OF MOSQUITO SPECIES BY MONTH OVER A 24-MONTH PERIOD  
BASED ON LIGHT TRAP AND LARVAL COLLECTIONS  
PHAN RANG, VIETNAM

SPECIES	MONTHS																							
	1966								1967								1968							
	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY
<i>Aedes albopictus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Aedes alboscuelatus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Aedes dur</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Aedes lineatopennis</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Aedes mediotenentus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Aedes nivoscuteillum</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Aedes pseudalbopictus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Aedes turniorhynchoides</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Aedes vexans</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Aedes vigilax</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Aedeomyia catantia</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles aconitus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles annularis</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles argyropus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles crawfordi</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles indiensis</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles lesteri</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles minimus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles nigerrimus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles pallidus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles peditaeniatius</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles philippinensis</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles sinensis</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles subpictus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles tessellatus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Anopheles vagus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z
<i>Culex annulus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z





TABLE III - C  
 OCCURRENCE OF MOSQUITO SPECIES BY MONTH OVER A 24-MONTH PERIOD  
 BASED ON LIGHT TRAP AND LARVAL COLLECTIONS  
 PLEIKU A. B. VIETNAM

SPECIES	MONTHS																							
	1966							1967							1968									
	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY
<i>Aedes albopictus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes gubernatoris</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes laniger</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes lineatopennis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes mediotineatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes niveoscutellum</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes ostentatio</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes pseudoalbopictus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes vexans</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedes vittatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Aedeomyia catanticta</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles aconitus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles annularis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles argyropus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles crawfordi</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles indiensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles karwari</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles lesteri</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles maculatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles minimus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles nigerrimus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles pallidus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles peditaenutatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles philippinensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles sinensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles splendidus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z
<i>Anopheles subpictus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z

NA = No collections attempted

N = Species not collected

**P = Species collected**

TABLE III - H  
OCCURRENCE OF MOSQUITO SPECIES BY MONTH OVER A 24-MONTH PERIOD  
BASED ON LIGHT TRAP AND LARVAL COLLECTIONS

PHU CAT, VIETNAM

SPECIES	MONTHS																							
	1966							1967							1968									
	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	
<i>Aedes aegypti</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Aedes amesi</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Aedes lineatopennis</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Aedes longirostris</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Aedes mediotarsatus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Aedes osteniatic</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Aedes poicilius</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Aedes verrans</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Aedes vittatus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Aedeomyia catasicta</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles aconitus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles annandalei interruptus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles annularis</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles argyropus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles barbirostris</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles campestris</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles crawfordi</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles indiensis</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles jeyporiensis candiadiensis</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles karwari</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles lesteri</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles minimus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles nigerrimus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles pallidus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles peditaeniatus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles philippinensis</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles sinensis</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles subpictus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	
<i>Anopheles tessellatus</i>	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	z	



TABLE III - I

OCCURRENCE OF MOSQUITO SPECIES BY MONTH OVER A 24-MONTH PERIOD  
BASED ON LIGHT TRAP AND LARVAL COLLECTIONS

TAN SON NHUT, VIETNAM

SPECIES	MONTHS																								
	1966					1967												1968							
	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	
<i>Aedes aegypti</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Aedes dur</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Aedes vexans</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Anopheles a. onitus</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Anopheles annularis</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Anopheles crucifordi</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Anopheles philippinensis</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Anopheles sinensis</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Anopheles subpictus</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Anopheles tessellatus</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Anopheles vagus</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Culex annui</i> ♀	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Culex brevipalpis</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Culex fuscarius</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Culex fuscoccephalus</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Culex gelidus</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Culex pipiens quinquefasciatus</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Culex raptor</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Culex sinensis</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Culex tritaeniorhynchus</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Culex whitmorei</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Ficobia chamberlaini</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
<i>Malaya jacobsoni</i>	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

P = Species collected

N = Species not collected

NA = No collections attempted

TABLE III - J

OCURRENCE OF MOSQUITO SPECIES BY MONTH OVER A 24-MONTH PERIOD  
BASED ON LIGHT TRAP AND LARVAL COLLECTIONS

TUY HOA, VIETNAM

SPECIES	MONTHS																											
	1966												1967												1968			
	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY				
<i>Aedes dur</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Aedes lineatopennis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Aedes longirostris</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Aedes vexans</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Aedeomyia catasicta</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Anopheles annularis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Anopheles crawfordi</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Anopheles pedtentiatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Anopheles sinensis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Anopheles subpictus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Anopheles vagus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Culex annulus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Culex bitaeniorhynchus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Culex gelidus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Culex pipiens quinquefasciatus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Culex tritaeniorhynchus</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Culex whitmorei</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Mansonia crassipes</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Mansonia ochracea</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Mansonia uniformis</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				
<i>Triniteroides aranoioides</i>	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z				

P = Species collected

N = Species not collected

NA = No collections attempted

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D		
(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)		
1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION
USAF 5th Epidemiological Flight Aerospace Medical Division (AFSC) APO San Francisco 96528		UNCLASSIFIED
		2b. GROUP N/A
3. REPORT TITLE		
THE OCCURRENCE AND KNOWN HUMAN DISEASE RELATIONSHIPS OF MOSQUITOES ON USAF INSTALLATIONS IN THE REPUBLIC OF VIETNAM.		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
Final Report 1 June 1966 - 1 June 1968		
5. AUTHOR(S) (Last name, first name, initial)		
PARRISH, DALE W., Major, USAF, BSC		
6. REPORT DATE	7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
July 1968		2
8a. CONTRACT OR GRANT NO.		8b. ORIGINATOR'S REPORT NUMBER(S)
a. PROJECT NO. 6321		5EF -TR-68-1
c. Task No. 02		8c. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)
		N/A
10. AVAILABILITY/LIMITATION NOTICES		
Distribution of this document if unlimited.		
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY
N/A		USAF 5th Epidemiological Flight Aerospace Medical Division (AFSC) APO San Francisco
13. ABSTRACT		
<p>Data is presented on the occurrence and human disease relationships of mosquitoes on USAF installations located in the Republic of Vietnam. Information contained in this report is based upon the identification of mosquito specimens submitted to the USAF 5th Epidemiological Flight by USAF Military Public Health personnel from 10 USAF installations in RVN over a 24-month period between 1 June 1966 and 1 June 1968.</p> <p>Mosquito surveys were accomplished on a routine basis in connection with the objectives of the USAF Aerospace Medicine Program to prevent and control vector-borne diseases.</p> <p>A total of 94 different species of mosquitoes were identified from all collections. Of this number, 22 species or 23.4 percent, are known vectors of human disease.</p>		

DD FORM 1 JAN 64 1473

UNCLASSIFIED

Security Classification



UNCLASSIFIED

Security Classification

(Reverse of Form DD 1473)

14 KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Mosquito occurrence Disease-Vector surveillance and control Human disease relationships Mosquito-borne disease incidence Military Public Health Air Force Installations Republic of Vietnam						

## INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity, or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through \_\_\_\_\_."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through \_\_\_\_\_."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through \_\_\_\_\_."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical content. The assignment of links, rules, and weights is optional.

UNCLASSIFIED

Security Classification